

Listing of Claims:

- 1 1. (amended herein) A golf club, comprising:
2 a head defined by a face, ~~and~~ a top surface, ~~and~~ a projection surface, a front thick
3 portion adjacent to said face, a central thinner portion adjacent to said front thick portion,
4 and a rear thick portion in spaced relation to said front thick portion, said projection
5 surface disposed on said central thinner portion;
6 an alignment assembly comprising an elongate bar-shaped dome interconnecting
7 said front thick portion and said rear thick portion ~~attached adjacent to said top surface~~
8 perpendicular to said head face, said elongate bar-shaped dome defining a top surface and
9 a bottom surface, said bottom surface in spaced relation to said projection surface; and
10 an alignment image inscribed on said projection surface.
- 1 2. (amended herein) The club of Claim 1, wherein said dome ~~is further defined by a~~
2 ~~top surface, said top surface~~ having a slot formed therein.
- 1 3. (amended herein) The club of Claim 2, wherein said slot ~~defines~~ defines an axis that is
2 aligned along a line that is generally perpendicular to said face.
- 1 4. (original) The club of Claim 3, further comprising said inscribed alignment image
2 being inscribed on said projection surface, said slot further defining a parallax sight
3 line in alignment with said inscribed alignment image and said slot.
- 1 5. (previously amended) The club of Claim 4, wherein said dome top surface is
2 generally coplanar with said club head top surface.
- 1 6. (canceled)
- 1 7. (original) The club of Claim 5, wherein said projection surface, slot and said
2 alignment image are oriented whereby said alignment image is aligned with said slot
3 along a parallax alignment sight line.

1 8. (original) The club of Claim 2, wherein said slot defines a line that is generally
2 perpendicular to said face.

1 9. (amended herein) An alignment assembly for attachment to a top surface of a golf
2 club head, said head defined by a front face and a rear face, comprising:

3 a dome consisting essentially of ~~defined by~~ an elongate bar having a top surface, a
4 bottom surface, a first club-head-attaching end attachable in proximity to said head front
5 face and a second club-head-attaching end attachable in proximity to said head rear face,
6 and a projection surface associated with said club top surface, said elongate bar ~~dome~~
7 further defined by a slot formed between said top surface and said bottom surface, said
8 projection surface further defined by an alignment image inscribed thereon; and

9 a void defined between said dome bottom surface and said projection surface.

1 10. (original) The assembly of Claim 9, wherein said top surface further comprises at
2 least one darkened portion of said surface adjacent to said slot.

1 11. (original) The assembly of Claim 10, wherein said projection surface further
2 comprises a lightened portion.

1 12. (amended herein) A golf club having a head defining a face and a top surface, the
2 head comprising:

3 parallaxtic alignment means for defining a parallaxtic alignment sight line, said
4 parallaxtic alignment means comprising a dome having a slot formed therethrough to
5 define a parallaxtic alignment sight line interconnecting said slot with an alignment
6 image, said dome defining an elongate bar shape having a first face and a second face
7 parallel to said first face and a pair of opposing ends in perpendicular alignment to said
8 head face, said opposing ends extending from a front thickened portion and a rear
9 thickened portion, respectively, of said golf club said head; and

10 planar alignment means for defining a planar alignment sight line.

1 13. (original) The club of Claim 12, wherein said slot associated with said club is
2 oriented perpendicular to said face.

- 1 14. (original) The club of Claim 13, wherein said parallaxtic alignment means
2 comprises a projection surface associated with said head opposite to said slot.
- 1 15. (original) The club of Claim 14, wherein said projection surface further comprises
2 a lightened portion generally opposite to said slot.
- 1 16. (original) The club of Claim 13, further comprising first and second alignment lines
2 inscribed on said top surface of said head, said first and second alignment lines are co-linear
3 with said slot.
- 1 17. (original) The club of Claim 9, further comprising first and second alignment lines
2 inscribed on said top surface of said head, said first and second alignment lines are co-linear
3 with said slot.
- 1 18. (original) The club of Claim 8, further comprising first and second alignment lines
2 inscribed on said top surface of said head, said first and second alignment lines are co-
3 linear with said slot.